

Sandvik Cutter-Crusher BC Range




Features and Benefits

The Sandvik BC Cutter-Crusher Range models features powerful jaws, long cutting blades and robust design. The BC Cutter-Crusher models are an efficient alternative to other demolition methods and are ideally suited to environmentally sensitive applications where low vibration, noise and dust are of concern.

DEMOLITION APPLICATIONS

- Concrete structures
- Cutting of reinforcements bars
- Long boom demolition applications







	BC 504 (RC 4)	BC 706 (RC 6)	BC 2022 (RC 22 N)
Weight, kg ¹⁾	205	355	2300
Carrier Weight, t ²⁾	2.5-6	4-9	20-40
Maximum Jaw Opening, mm	312	400	720
Crushing Force, kN	460	750	1600
Crushing Force (Tip), kN	180	240	700
Operating Pressure, bar	250	250	320
Operating Flow, l/min	40	60	180
Steel Cutting Blade Length, mm	100	200	400
Overall Length, mm	1040	1250	2320
Mounting Options	Pin-On, Flat-Top	Pin-On, Flat-Top	Flat-Top
Rotation 360 (Degrees)	Mechanical Standard –	Mechanical Standard Hydraulic (Optional)	Mechanical Standard Hydraulic (Optional)

¹⁾ Without mounting bracket

²⁾ Standard boom carrier. Check carrier's lifting capacity and stability

