

DOOSAN

Construction Equipment

Doosan Hydraulic Breaker HB series



Doosan Hydraulic Breaker HB series

HB series Breaker is designed for mainly focusing on breaking job. Doosan's focus is to optimize impact power, enhance durability, satisfy customer convenience and maintain easily in order to be faithful to the original function of hydraulic breaker.

HB series

- ✓ Excellent Performance
- ✓ Enhanced Durability
- ✓ Customer Convenience
- ✓ Easy Maintenance



HB series

5 REASONS TO USE DOOSAN BREAKERS

One-stop shop
One place for complete solutions :
(Excavator + Breaker + Parts + Service)

Engineering approved
Optimized for DOOSAN equipment high efficiency and performance, resulting in lower running and maintenance cost.


Service
Broad coverage via the DOOSAN service network, fully supported by DOOSAN product specialists.

Quality
Products manufactured to highest standards.

Warranty
Avoid compatibility issues and operating differences from using Non-approved breaker.



FEATURE & BENEFIT



HB03 / HB04 / HB06 / HB08 / HB15

HB20 / HB30 / HB40

SPECIFICATIONS




Model		HB03	HB04	HB06	HB08
Operating weight	Housing	130	155	361	451
	Top mount	95	158	343	410
	Side mount	95	158	263	335
Tool diameter	mm	45	53	68	75
Operating pressure	bar	90~120	90~120	110~140	120~150
Flow	l/min.	20~40	25~50	40~70	50~90
Frequency	bpm	700~1,200	600~1,100	500~900	400~800
Carrier weight	t	1~3	2.5~4.5	4~7	6~9

HB15	HB20	HB30	HB40
1,007	1,693	2,263	2,796
866	1,862	2,498	3,160
761	1,669	2,340	2,840
100	135	150	160
150~170	170~210	180~220	190~230
80~110	130~150	150~190	190~250
350~700	400~800	350~650	300~600
10~15	18~25	28~35	35~42

* above specification can be changed for design and quality improvement without prior notice


BREAKER OPTION

BRACKET TYPE




HOUSING
recommended for professional contractors working in urban zones, where noise level must be controlled and/or where local regulation may require silenced breakers.

- Silenced design
- Less vibration due to urethane damper inside



TOP MOUNT
simplified design, offer easy access to the power cell for easy on-site maintenance.

- Simple design
- Easy on-site maintenance
- more reach than side mounting




SIDE MOUNT
similar characteristics as the Top Mount versions, the mounting on the arm of the excavator is made at an angle.

- Simple design
- Easy on-site maintenance
- Convenience to carry on with Excavator


TOOL SELECTION

USE THE RIGHT TOOL FOR THE RIGHT JOB


Breaker Tool (Chisel) is a wear part and tool consumption is the main causative for wear part costs. It's important to select an appropriate tool according to the nature of work and the characteristics of the object to break. Genuine Doosan tools are special designed to best fits the Doosan breakers.




MOIL POINT
Demolition
Hard Ground
Hard Ground with Failures
Concrete




PYRAMIDAL
Trenching
General Excavation
Asphalt
Mass Excavation in Quarry
Soft Ground with Faults
Concrete
Reinforced Concrete



WEDGE
Trenching
General Excavation
Mass Excavation in Quarry
Soft Ground with Faults
Concrete
Reinforced Concrete




BLUNT
Block Splitting
Compact Abrasive
Difficult to Position
Concrete Slab on Demolition



FORGING CHISEL
Forging chisel provide longer life time

Trenching
Mass Excavation
Quarry

LIFE TIME
X2 Long Life



AUTO GREASING

AUTO GREASING SYSTEM

- * Continuous lubricating system increase life-time of Chisel and Bushings
- * Economical Re-chargeable Grease cartridge reduce its maintenance cost
- * Auto greasing system can be applied for HB20/30/40 only



OTHER ATTACHMENTS

EARTH MOVING ATTACHMENTS _ BUCKETS

■ High strength steel ■ High abrasion resistant steel ■ 500BHN, High abrasion resistant steel



GP
General Purpose Buckets Is designed for digging and re-handling soft to medium materials with low wear characteristics such as top-soil, loam, coal etc.

- Flat Bottom
- Bolt on Side Cutter



H class
Heavy Duty bucket, is the most common bucket in the onstruction site and is designed mainly for use in heavy construction but also used in low density mining and quarry application.

- Bolt-on Side Cutter



S class
Severe duty bucket designed for use in high density mining and quarry application using high strength and high abrasion resistance materials. It can be used in the toughest of applications.

- Bolt on Dual Shroud



X class
Special reinforced design with wear patches based on S class bucket.

- Added more patches for increasing its durability and strength
- Overlapping plate for protecting Lip plate
- Wear pad and bottom section
- Bolt on Dual Shroud
- Applied Wear Protect Patches

DEMOLITION ATTACHMENTS



FIXED PULVERIZER
Designed for both primary demolition work and secondary concrete reduction. For secondary demolition, it is ideal for breaking out concrete from fixed structure, pulverizing concrete, separating different materials for recycling, and cutting reinforced rods and small steel profile.



ROTATING CRUSHER
Designed for both primary demolition work and secondary concrete reduction. Especially for secondary demolition, it is ideal for breaking out concrete from fixed structure, pulverizing concrete, separating different materials for recycling, cutting reinforced rods and small steel profile, and working with high reach boom.




MULTI-PROCESSOR
Designed for all demolition sites by inter-changing jaw sets mounted on a single base unit.

- Crushing Jaw set
- Demolition Jaw set
- Pulverizing Jaw set
- Shear Jaw set




STEEL SHEAR
Designed for cutting general and heavy duty steels such as section bars, pipes, and steel structures.


MATERIAL HANDLING ATTACHMENTS




MULTI-GRAPPLE
Designed for selective demolition, sorting of recyclable material and loading of various materials.




STONE GRAPPLE
Designed for transporting or loading stone, scarp, garbage, demolition debris and waste paper in forestry, recycling, landscaping and general construction sites.



LOG GRAPPLE
Designed for sorting, loading, unloading and laying timber, log and wood with Doosan Log loader in forestry.



ORANGE GRAPPLE
Designed for handling scrap iron and waste.



CLAMSHELL BUCKET
Designed for handling industrial waste, rock, sand, grain, or cereal.

EARTH MOVING ATTACHMENTS _ OTHERS




PLATE COMPACTOR
Designed for soil compaction in trenches, foundations, or slope applications. Its heavy-duty design offers a variety of application such as piling, compacting and etc..




RIPPER
Offer powerful ripping capabilities in hard and compact materials such as compact soil, rock, ice, caliche, tarmac, paved areas.



HYDRAULIC QUICK COUPLER
Allow you to increase the versatility of your excavators. new QC series quick coupler will help you gain in productivity and efficiency with increased safety.



**SOLUTION PROVIDER
SPECIAL APPLICATION &
ATTACHMENTS**



Doosan Infracore Korea Office (HQ)
27F, Doosan Tower, 275, Jangchungdan-ro,
Jung-gu, Seoul, Korea(04563)
Tel : 82 2 3398 8114

www.doosaninfracore.com/ce/

Materials and Specifications in the catalogue are subject to change without notice.