



Multihog[®]

One Machine – One Driver – Endless Applications



New Range!



www.multihog.com



Tomorrow's Engine: Today

Very low emission levels; emissions class Stage 3B (Europe), Tier 4i (U.S)

Powerful Yet Compact

Low height (from 198 cm) & narrow width (from 128cm). Available in a range of engine sizes: 56KW, 75KW & 96KW

Unique Quick- Release Attachment Mounting

Fit and remove attachments in seconds

Exceptional Ergonomics

Ergonomically designed driver station with fingertip control

Class-Leading Cab

High visibility, spacious cabin with 69dB noise levels for maximum driver comfort

Efficient Hydraulics

Post compensated proportional hydraulic control to allow accurate movement of all hydraulic functions

Technical specifications



	MX			MXC			MXC LP		
Engine	Deutz 3.6 Litre								
Model	75	100	120	75	100	120	75	100	120
Power	56KW	75KW	90KW	56KW	75KW	90KW	56KW	75KW	90KW
Torque	330Nm	390Nm	480Nm	330Nm	390Nm	480Nm	330Nm	390Nm	480Nm
Emissions Class	Stage 3B/Euro 5 equivalent								
Fuel Tank Capacity	90 Litres								
Maximum Speed	40 km/hr								
Length	3975 mm								
Width	1530 mm-1650 mm			1280 mm-1650 mm			1280 mm-1650 mm		
Height	2170 mm-2220 mm			2170 mm-2220 mm			1990 mm-2050 mm		
Unladen Weight	3400 kg			3400 kg			3300 kg		
Max Front Axle Capacity	3500 kg			3500 kg			3500 kg		
Max Rear Axle Capacity	4500 kg			4500 kg			4500 kg		
Noise level	69dB			69dB			69dB		
Turning Radius	3650 mm			3650 mm			3650 mm		



Multihog Ltd. Ardee Road, Dundalk, Co. Louth, Ireland.
Tel.: +353 42 938 6738 E-Mail: info@multihog.com

