RECON

Manure & Transport Technics







Dear Sir / Madam,

Here's the new Peecon Manure & Transport Technics catalogue in which Peeters Agricultural Machinery presents its complete range of agricultural vehicles and machinery. You'll find over 250 unique products

For example, there's our wide range of Euroline Slurry Injector Tanks, our Cargo Tipping Trailers and Dumpers, our Peecon Slurry Injectors and other small machines. We've invested heavily in more production capacity over the past year to be able to deliver faster – of course with the same quality you've come to expect from us. Our new 7,000 m² factory is already operational. This factory uses the very latest equipment, including more than ten robotic systems, to produce high-quality products in the most efficient way possible. Our new product line, the Pitbull Compact Loader, is being produced here, among other things. The Pitbull is a unique product with extra attention for safety, quality and power. The Pitbull combines really well with our Cargo line!

More and more demands are being placed on agricultural vehicles on European roads. We take this into account when building our machines and offer options to ensure machines satisfy all EU regulations. Various examinations (including RDW/PVG/TÜV-) are also available.

In addition to this Peecon Manure & Transport Technics catalogue, the new Peecon Feed Technics, Pitbull Compact Loaders and Tulip Arable Machinery catalogues are also available. These catalogues can be found at www.peecon.com, www.pitbull-loader.com and www.tulipindustries.com. You can request extra copies free of charge via info@peetersgroup.com if you wish.




metaalunie

For terms and conditions, please see our website: www.peecon.com. All prices exclude VAT and delivery. This price list replaces all previous price lists. Subject to changes and printing errors.



Past, Present and Beyond Innovation Never Rests



First workroom



used agricultural machines, "Tractorhandel De Bloken" obtains the dealership of Landini and Mengele










1990

1989

Expanding the production facility in Achtmaal



1991



1996



Purchase of a Koike laser cutting machine 6000 Watts, the biggest in Europe



















Founding Tulip Agri in Oingdao



2011

Presentation of the electrically driven Biga Volt and Biga Hybrid feed mixers and the Multilift system



2013



Peecon Gull Wing Tyre system rewarded with silver medal on

2014

2016







2017 2018 2020







2015

Presentation of the Peecon Biga future



Peecon launches Butler XL feed pusher



Peecon produces the first agricultural machine: the root crop lifter



The affinity with producing agricultural machines started early.
Son Dannie built his first scale 1:3
a slurry tank TT 13000 at the age of



slurry injector





A son of Piet, Dannie Peeters, takes over "Peeters Landbouwmachines" with

the full cooperation of Monique, his wife. She is







New production facility in Etten-Leur in use





1998 | 2000 | 2001 | 2004 | 2009 | 2010

Acquisition of the Lely agricultural line, which will distributed worldwide under the brand name Tulip







Purchasing Benelux largest pipe cutting lasermachine for further automation of the production

40 Biga Anniversaries on the occasion of the 40th anniversary of the company



unique loading system





Development Peecon XYZ 24/7 full automatic feed discharge system.



and Biga Topliner at the Patagonweg in Etten-Leur is put into operation

www.**peecon**.com 7

Rigid-tine / Spring-tine cultivators






		350	370	77
Rigid-tine		200	250	300
Working width	m	2	2,5	3
Length (A)	mm	920	920	920
Width (B)	mm	2065	2565	3065
Height (C)	mm	1200	1200	1200
Heigth tines (D)	mm	590	590	590
Length roller (E)	mm	775	775	775
Number of tines		9	11	13
Weight	kg	280	320	360
Required horsepower	hp	50	60	70

96 PEFFON





		2232 0	3333 8	2277 0
Spring-tine		250	275	300
Working width	m	2,5	2,75	3
Length (A)	mm	2585	2585	2585
Width (B)	mm	2550	2800	3050
Height (C)	mm	1300	1300	1300
Height tines (D)	mm	420	420	420
Number of tines		22	24	26
Weight	kg	250	270	290
Required horsepowerer	hp	30	35	40











Standard equipment Spring-tine Cultivators Painted box frame with tine-strips 60x12 mm 4 rows spring tines 30x10 mm with changeable shares Distance tines 125 mm Not assembled

Standard equipment Rigid-tine Cultivators

■ Painted box frame ■ Rigid tines 80x25 mm

kigld tines 80x25 mm
 Changeable goose foot shares
 Distance tines 250 mm
 Shear bolt protection
 Not assembled

Article number	Description
600-200	VTC 200
600-250	VTC 250
600-300	VTC 300
	Optional equipment
600-906-013-001	Cage roller 8 bars Ø 440 mm for VTC 200
600-906-013-002	Cage roller 8 bars Ø 440 mm for VTC 250
600-906-013-003	Cage roller 8 bars Ø 440 mm for VTC 300
600-906-025	LED lighting set with double sided signalling boards
601-250	TTC 250
601-275	TTC 275
601-300	TTC 300
	Optional equipment
601-906-002-001	Crumbling roller Ø 300 mm for TTC 250 including spindle adjustment and supports
601-906-002-002	Crumbling roller Ø 300 mm for TTC 275 including spindle adjustment and supports
601-906-002-003	Crumbling roller Ø 300 mm for TTC 300 including spindle adjustment and supports
601-906-025	LED lighting set with double sided signalling boards

www.**peecon**.com 97